

ENT

~~In re~~ Patent of:

Examiner: R. Lan

Group Art Unit: 2854

**Certificate**  
**JUN 23 2005**  
**of Correction**

Date: June 16, 2005

Date: June 16, 2005

Date: June 16, 2005

CERTIFICATE OF CORRECTION  
UNDER RULE 323


It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

06/17/2005 SSITHIB1 00000043 6859220  
01 FC:1811 100.00 DP

JUN 27 2005

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



---

Justin J. Oliver  
Attorney for Patentees  
Registration No.: 44,986

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

JJO/tmm

DC\_MAIN 206401v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,859,220

DATED : February 22, 2005

INVENTOR(S) : KENJI SUZUKI, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 14, "basic" should read --base material--; and  
Line 22, "basic" should read --base material--.

COLUMN 5:

Line 56, "is" should read --be--; and  
Line 59, "is" should read --be--.

COLUMN 7:

Line 17, "coator" should read --coater--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,859,220

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)  
(Form#30)



JUN 27 2005